

Translation Office 30003D Custom Queries Guide

© Advanced International Translations

2 Translation Office 3000 Help System

Contents

1	Introduction	. 3
2	Beginning creating a query	. 3
3	Beginning creating the model of the query	. 4
4	Selecting database tables	. 5
5	Selecting fields to be added to query	. 6
6	Assigning functions	. 7
7	Generating query	. 8
8	Saving newly created query	10

1 Introduction

SQL queries can be made to TO3000 3D database to extract and export required data. This feature recommended for users with basic knowledge of SQL.

Structured Query Language (SQL) is a language of structured requests. It is intended for working with relational databases, which constitute the sets of interrelated data, stored in tables.

Currently SQL is a part of a large number of programs, executed on various types of computers. "Owing to its elegance and machine independence, as well as to the industrial leaders support in relational base technology, SQL was acknowledged the standard language and will keep this position in the foreseeable future."[2000, Mastering SQL, Martin Grubber]

2 Beginning creating a query

User queries are built and managed with the help of **Queries** section of **Advanced Settings** window of TO3000 3D.

Click the **New** button and the **Query Builder** window shown below appears. Enter the name of your query in the **Query Name** field, and (optionally) description of the new query in the **Description** field.

🙆 Query Builde	er			
Generate Ouery Model Query	Run Query Data	ок	Cancel	
Query Name:				
Content:				~
Description:				

3 Beginning creating the model of the query

🕤 Query Builder			
Generate Query Run Que Model Query Data	ery OK	Cancel	
			AIT\$COMPANY AIT\$FIELDS AIT\$FIELD_GROUPS AIT\$LOCKS AIT\$LOCKS AIT\$MESAGES AIT\$METADATA AIT\$QUERIES AIT\$REPORTQUERIE AIT\$REPORTS AIT\$REPORTS AIT\$USERGRIDS AIT\$USERS AIT\$USERS AIT\$USERS AIT\$USERS AIT\$VERSIONS CACCOUNTS CACCOUNTS
Field Table Show Sort Function Group			

Switch to the **Model** tab:

4 Selecting database tables

Locate the required tables on the list to the right (in this case – *CINVOICES* table) and drag them to the gray field of the **Model** tab of **Query Builder** window.

Sal	4	1	×	
Generate Query	Run Query	OK	Cancel	
Model Query	Data			
				AIT\$USERS AIT\$VERSIONS CACCMANAGERS CACCOUNTS CCONTACTS CDISCOUNTDEFS CFINLINKS CFTPS CINFO CINVOICES CJOBS CLIENTS
Field				
Table				
Show				
Sort				
Function				
Group				

5 Selecting fields to be added to query

Select two fields, (in this case *CLIENT_ID* and *CINV_TOTAL_B* — client ID and sum of the invoice in basic currency) by clicking near the names of this fields in the table windows. These fields will appear in the lower area, which represents the list of selected fields.

Senerate Q	🦸 uery Run Qi		
Model Q		CLIENT_ID CURR_ID CINV_IS_VOID CINV_VOID_DESC CINV_VOID_NOTE CINV_FNUMB CINV_TAX1_TOTAL_B CINV_TAX2_TOTAL_B CINV_DIS1_TOTAL_B CINV_DIS2_TOTAL_B CINV_TOTAL_B CINV_ASSIGN_TOTAL_B CINV_ADJUST_TOTAL_B CINV_VOID_DATE	 AIT\$USERS AIT\$VERSIONS CACCMANAGERS CACCOUNTS CCONTACTS CDISCOUNTDEFS CFINLINKS CFTPS CINFO
Field Table	CINVOICES		
Show Sort	Show	Show	
Function			
Group			

6 Assigning functions

Right-click on the cell where fields CLIENT_ID (the selected field) and GROUP (SQL section Group by) intersect and select the **Group** option. Similarly in the cell of intersecting CINV_TOTAL_B and **Function** fields we select the **Sum** option:

Senerate Query	Run Query C	K Cancel	
Model Query D	ata		
	CINV_TAX1_TC CINV_VOID_N CINV_VOID_N CINV_VOID_N CINV_VOID_N CINV_FNUMB CINV_TAX1_TC CINV_TAX1_TC CINV_DIS1_TC CINV_DIS1_TC CINV_DIS2_TC CINV_TOTAL CINV_ASSIGN CINV_ASSIGN CINV_ADJUST	ESC DTE DTAL_B DTAL_B DTAL_B TAL_B 3 TOTAL_B TOTAL_B TOTAL_B	AIT \$USERS AIT \$VERSIONS CACCMANAGERS CACCOUNTS CCONTACTS CDISCOUNTDEFS CFINLINKS CFTPS CINFO CINVOICES CJOBS CLIENTS CMETAINVOICES CMULTIQUOTEITEMS CMULTIQUOTES
	NT_ID CINV_TOTAL_E	context men	
	OICES CINVOICES	L	
Show Show	/ Show		
Sort Function Group Group	No 1 Ave Cou		
	Max	imum	

7 Generating query

Click the Generate Query button.

🚱 Query Builder			
Generate Query Run Query	ок	× Cancel	
Model Query Data			

Newly built SQL-query will appear.

🕤 Query Build	er			
Generate Query Model Query		ок	Cancel	
Query Name:	Invoices			
Content:	SELECT c8.cl FROM cinvoic GROUP BY c8.	es c8 client_id	This code has been generated b Query Builder according to your s on the Model tab	y the ettings
				Ŧ
Description:				*

9

Start executing the query (clicking **Run Query** button from the toolbar in the upper part of the window) and you will see the results.

	-	× ×	
enerate Query	Run Query	OK Cancel	
	Data	Un Curren	
ineren (deren)			223
-		You can Export or Print Data from Corporate Settings pa	ge,
	SUM		
	4,873.00		
2	1,848.00		
3	3,103.10		
4	2,244.60		
5	4,522.00	Results of your query	
6	4,470.00	10 10 10 10 10 10 10 10 10 10 10 10 10 1	
7	4,961.13		
8	10.66		
9	1,715.00		
10	1,099.25		
15	8,113.00		
16	6,843.67		
17	5,039.70		

3

Note: Although for most basic queries you are not required to write the SQL code of the query manually, any additional code can be added by SQL-versed users to fully customize their queries. For example, the following strings can be added to this particular query:

SELECT FIRST 10 c4.client_id, SUM(c4.cinv_total_b),

(select client_name from clients where client_id = c4.client_id)

FROM cinvoices c4

GROUP BY c4.client_id

ORDER BY 2 DESC

In simple words it will mean the following: To select first ten clients (first 10 client_id) by counting the sum of invoices and display them in the order of sum reduction (ORDER BY 2 DESC).

Click Run Query button once again to see the new result.

Note: If you click **Generate SQL** after editing the query manually the query will be rebuilt and the results of your work will be lost.

8 Saving newly created query

To save the query model switch to the **Query** tab, specify the **Query Name** and **Description** (optionally) and click **OK** button.

🙆 Query Builde	er			
Generate Ouery	Run Query Data	ок	× Cancel	
Query Name:				
Content:				
0				· · · · · · · · · · · · · · · · · · ·
Description:				